APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dat	e of filing in State Engineer's Office NOV 2 1992
Ret	urned to applicant for correction
	rected application filed
	Dorothy D. Read
	The applicant
	Box 2104 Elko Street and No. or P.O. Box No. Of City or Town Nevada 89803
	Nevada 89803, hereby make application for permission to appropriate the public State and Zip Code No.
wat	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
cop	partnership or association, give names of members.)
1.	Underground Well #1 The source of the proposed appropriation is
2	The amount of water applied for is
۲.	One second-foot equals 448.83 gals. per min.
	(a) If stored in reservoir give number of acre-feet Domestic, Irrigation
3.	The water to be used for
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated
	(b) Stockwater, state number and kinds of animals to be watered 3 Scottish Terriors 1 horse
	(c) Other use (describe fully under No. 12. "Remarks"
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5	
٥.	The water is to be diverted from its source at the following point. NW1 NE1 Section 28, T.34N., R.55E Describe as being within a 40-acre subdivision of public M.D.B.&M., at a point which bears S. 55°09' E., 106.1 feet from the
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. North 4 corner of said Section 28
6.	Place of use NW1 NE1, NE1 NW1 of Section 28, T.34N., R.55E., M.D.B.&M. Describe by legal subdivision. If on unsurveyed land, it should be so stated.
	·
7.	Use will begin about January 1st and end about December 31st, of each year. Month and Day Month and Day
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Drilled well 6" x 70', installed pump, State manner in which water is to be diverted, i.e. diversion structure, ditches and
	distribution system, sprinkler system flumes, drilled well with pump and motor, etc.

9.	Estimated cost of works (past 10 years) \$5,000.00
10.	Estimated time required to construct works 5' x 5' x 3' tall pump and sprinkler house If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use0
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
	Water cooled condenser on water chiller for airconditioner Total domestic & irrigation 1.5 MGA
	By s/Dorothy D. Read
	P.O. Box 2104
Cor	npared pm/ Elko, NV 89803
Dra	tested
FIU	
	DENTAT
	DENIAL OF STATE ENGINEER
foll	This is to certify that I have examined the foregoing application, and do hereby xeverat the same, subject to the owing limitations and conditions:
	Applications 58288 and Application 58289 are DENIED on the grounds that their
	issuance would adversely affect existing rights, would prove detrimental to the public
	interest and would not be a preferred use of the limited water resource in the Elko
(Ground Water Basin.
	·
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
	••
exc	eedcubic fect per second
	rk must be prosecuted with reasonable diligence and be completed on or before
Рго	of of completion of work shall be filed before
	blication of water to beneficial use shall be filed on or before
Pro	of of the application of water to beneficial use shall be filed on or before
Ma	p in support of proof of beneficial use shall be filed on or before
Соп	ipletion of work filed
Proc	of of beneficial use filed
Cult	ural map filed
	ificate NoIssuedA.D93
	State Engineer